

crealev

CLM 0.7

—

 alt ^{37 mm}」

37 mm floating height (max)
feather weight  (max 0.5 kg)

MANUAL

37 mm floating height (max)
feather weight  (max 0.5 kg)

Let's start levitating.

Please take time to carefully read the instructions in this user manual. This will allow you to install and operate the levitation module correctly and will provide you with the full enjoyment of your purchase.

This manual contains important information about safety, use, limitations, guarantee and technical support.

You are consequently strongly advised to read this user manual completely prior to using the levitation module.

By taking the levitation module in use, you accept the terms and conditions that are stated in the user manual concerning safety, use, warranty and technical support.

Tip: Keep this user manual for future reference.

CONTENTS


1)	GENERAL DESCRIPTION	03
2)	SAFETY AND PROTECTION	04
	a. General safety warnings	
	b. Overheating	
	c. Electromagnetic fields EMF	
	d. Power interruptions	
3)	USING THE LEVITATION UNIT	08
	a. Unpacking	
	b. Placing the base module	
	c. Setting up levitation system	
	d. Use of the carrier	
	e. Switching the levitation system off	
4)	CLEANING AND MAINTENANCE	14
	a. Cleaning	
	b. Storage	
	c. Replacement	
	d. Environment	
5)	WARRANTY AND SERVICE	16
6)	PRODUCT SPECIFICATIONS	16
7)	DECLARATION OF CONFORMITY	18
8)	COMPANY INFORMATION	19

1 GENERAL DESCRIPTION

The system is intended to levitate an object. The system can be used as stand-alone system, but can also be built into an other product or application.

The Crealev levitation system consists of 2 main parts.

1. There is an octagonal base unit with permanent magnets and electromagnets.
2. Carrier ring (carrying plateau) with permanent magnets included.
3. The base is supplied with a power adaptor.



2 SAFETY AND PROTECTION

A. GENERAL WARNINGS

Please keep away from dangerous situations and refrain from creating dangerous situations like mentioned below:

Water and electricity are an extremely dangerous combination. Do not use this device in a humid environment (for example a bathroom or in the immediate vicinity of a shower, swimming pool or aquarium, etc).

Do not allow water or other liquids to enter or land on the device. The levitation module is not moisture-resistant.

Do not take the levitation module apart unless you are qualified to do so, to avoid the risk of electric shocks. Have maintenance and servicing carried out by qualified maintenance personnel. If you perform maintenance and service work yourself, the warranty will expire.



Naked flames or other heating objects such as candles or heaters must not be placed on top of or near to the levitation device.

Check that the voltage required by the appliance corresponds with the local mains voltage prior to connecting the appliance. The power adaptor is suitable for voltages from 100V to 240V. The powerplug connected to the adaptor is EU two pins standard.

The mains supply works with a safety transformer, power adaptor. Replace this, if it is defective, with a new one which you can order from Crealev.

Do not damage the power cable and avoid using the cable in winded position.



Never try to remove the rubber cover at the bottom of the carrier ring

This levitation module is not intended for use by persons (including children) with physical, sensory or mental disabilities, or with a lack of knowledge or experience, unless someone who is responsible for their safety supervises them or has explained to them how the levitation module should be operated.

Supervise children to prevent them from playing with the levitation module.

Situate the levitation module on a stable, level surface and ensure that there is at least 20 cm free space around the device and 40 cm above the device to prevent overheating.

Never move the levitation module during use.

Do not use the levitation module at room temperatures lower than +10 degrees Celsius or higher than 35 degrees Celsius.

Allow the levitation module to cool off for 15 minutes before cleaning or storing.

Never use the levitation module if it is damaged or broken, or if a part is missing as indicated in the 'general description'.

The levitation unit does not have an on/off switch. If you would like to disengage the appliance from the mains supply, remove the plug from the socket. But before doing so, first remove the carrier ring from it's levitation position.

B. OVERHEATING

The levitation module is equipped with an automatic overheating trip. If the appliance is insufficiently cooled, the device switches off automatically.

If the levitation module is overloaded or if the base has too much excitation, due to imbalance, irregular turning or other overburdening, the base can heat up and thermal protection will shut the device down.


Temperatures:

The specified data apply when the module is placed on top of a table. When the module is built into a 'casing' the characteristics may differ.

Maximum operating temperature	35	[deg C]
Minimum operating temperature	-10	[deg C]
Temperature rise base at no excitation	10	[deg C]
Thermal shutdown case temperature	≈55	[deg C]

If the safety overheating protection shuts the device down, the carrier ring will fall down on the base module. Please be aware of potential danger considering the load on the carrier ring.

If this happens, remove the cause of the overheating, remove the plug from the mains socket and allow the base module to cool off for approximately 15 minutes. Then re-insert the plug into the socket.



**ALWAYS UNPLUG
BASE WHEN CARRIER
IS NOT IN FLOATING
POSITION TO AVOID
OVERHEATING!**

C. ELECTROMAGNETIC FIELDS (EMF)

Guidelines for magnetic sensitive objects:

Due to the presence of magnets in the module and carrier the module generates a magnetic field. This could be interfering with magnetic sensitive objects like a creditcard, pacemaker or memory hardware like floppy disks and harddrives.

A distance of 5 cm (2 inch) is advised.

Technical Note:

Approximately 300 Gauss of magnetic field strength is safe for magnetic stripe devices like credit cards. The stray field at 5 cm (2 inch) distance is less than 100 [Gauss].

This levitation module complies with all the guidelines for electro magnetic fields (EMF). Providing the levitation module is used correctly and according to the instructions in this user manual, it is safe for use according to the now available scientific evidence



D. POWER INTERRUPTION

In the event that the power is interrupted, the carrier ring will land on the levitation unit with great force. This occurs with a loud slap, but does not have a negative effect on the operation of the levitation unit. If this occurs, please restore power, 'pull' off the carrier ring from the base module and repeat the instructions 'How to set up the levitation system' from step 3. (page 9)

3 USING THE LEVITATION UNIT

A. UNPACKING

When you unpack the device, please keep the carrier ring away from metal objects and objects that are sensitive to magnetism, for example bank cards and memory hardware like floppy disks and harddrives.



Be careful with the carrier ring around magnetic sensitive objects or magnetic sensitive surfaces (iron). They will be attracted to each other. There is a great risk, that by trying to remove the parts, damage may occur.

Warning: never position two or more carrier rings near to each other, they attract each other with a great force, with the risk of physical injury such as trapping, bruising or worse!

B. PLACING THE BASE MODULE

The base module should be mounted horizontally on a flat and sturdy surface, preferred accuracy better than 2°.

BOTTOM OF BASE MODULE:

Preferably the bottom should be open, in order to let air flow along the bottom of the unit. This is to prevent overheating of the base in case of excitation.

TOP OF BASE MODULE:


The top can be covered with a thin sheet of any non-magnetic material, of a few millimeters thick.

The black center section on the base, the sensor, should always be left open. So any non transparent covering sheet should have an opening above the sensor.

The top could be covered by a full glass sheet or other transparent sheet material of preferably 2 mm thickness (max 3 mm).

The transparent sheet should be in direct contact with the top of the base module. The center section should always be fully transparent.

Avoid bright (sun) light on the sensor (black central part).





C. HOW TO SET UP THE LEVITATION SYSTEM

1. Place base module (regarding all previous mentioned requirements)
2. Connect the mains plug to the mains power supply (max 230V). (The power adaptor delivered with the unit should preferably be plugged against a vertical wall. Sufficient air flow along the power adapter is necessary.)
3. Hold the carrier loosely in both hands. Keep it lightly balanced on your finger tips.
4. In the middle of the carrier ring, there is a reflective spot. Please hold the reflective spot in the middle of the carrier ring , 4-5 cm directly above the sensor. You should now feel the repelling action of the permanent magnets in the carrier and in the levitation unit.
5. Once you feel the levitation unit coming online, the carrier ring 'locks' itself into position. The carrier ring will now be held in position by the electromagnetic field and the control system.
6. Carefully release of the carrier ring.

WARNINGS!

The carrier is held in place by an optical sensor. Therefore one must not put anything between the sensor of the base and the reflective spot of the carrier. Otherwise the carrier will fall down.

The electromagnetic field works in vertical direction. The carrier can be horizontally pushed or knocked out of balance and out of the electro-magnetic field. If this happens, the carrier ring will fall down.

If the carrier ring falls down, it will land on the base module with great force and with a loud slap. The magnetic field ensures that the carrier does not fall beside the base module. This situation should be avoided but this does not have a negative effect on the operation of the levitation unit.

If this occurs, please 'pull' off the carrier ring from the base module and repeat the instructions from step 3.

If a burden or load is placed on the carrier ring, make sure this can't become damaged or create a dangerous situation when the carrier ring falls down.

Only use the supplied power adaptor by Crealev.

D. USE OF THE CARRIER RING AND LOADING

The carrier could be 'wrapped' or 'built in' other materials and objects. Please keep in mind that the reflective spot at the center bottom must be visible. So the 'casing' or load should not obstruct the center bottom of the carrier.

Always keep a matted (non glossy or reflective) circular area, with a diameter of 3 cm, around the reflective spot.

Watch out, the carrier is permanently magnetic. It attracts iron and magnetic parts. It could influence objects that are vulnerable to magnetic fields.

If the 'casing' or the load of the carrier ring contains iron or other magnetic parts; it may influence and disturb the levitation.

The heavier the load or 'casing'; the lower the levitation height.

The heavier the load; the more attention has to be paid to balancing the carrier with that load.

The heavier the load, the closer the weight should be to the carrier surface. The center of gravity should be as low as possible and centered as well possible. Avoid large or heavy weights sticking out far above the carrier surface.

Improper balancing can result in irregular rotation of the carrier and possible heating up of the base module.

Extreme irregular rotation could result in the carrier falling down.


The carrier ring of the ALT 37 should be loaded with preferably maximum 0.5 kg.

Extremely the carrier ring of the ALT 37 can handle a load up to 1 kg.

When a load is placed on top of the carrier, the center of that load (center of gravity) should not be placed too high. If the load is placed too high the carrier and load might tip over. The numbers below give the maximum height of the center of gravity of that load.

Maximum load location on top of carrier ring:

M_load = 100 gram	H_load = 70 mm	H_levitation = 28 mm
M_load = 250 gram	H_load = 50 mm	H_levitation = 21 mm
M_load = 500 gram	H_load = 30 mm	H_levitation = 13 mm



E. SWITCHING THE LEVITATION SYSTEM OFF

If the carrier ring is in the levitating (floating) position, carefully remove the carrier ring with its load from the position and place it away from any metal or magnetic objects.

Pull the power plug out of the mains socket.

Allow the levitation module to cool off for 15 minutes before cleaning or storing.

When the levitation device is stored, place the carrier ring upside down on the base module. With the reflective spot facing upwards. This will prevent the permanent magnets to disturb the rubber covering at the bottom of the carrier ring.

4 CLEANING AND MAINTENANCE

A. CLEANING

Always remove the plug from the mains socket and allow the levitation module to cool for approximately 15 minutes before you clean it.

Never use abrasive sponges, abrasive cleaning agents or aggressive solvents such as white spirit or acetone for cleaning the levitation module.

Remove dust from the appliance regularly, especially from the optical sensor in the centre, using a dry cloth, because dust can have a negative effect on the operation of the levitation technology.

Clean the exterior of the levitation module with a clean damp cloth.

Do not allow any water or other liquids to enter or land on the base module.

B. STORAGE

Please store the levitation module, preferably in the packaging or protective wrappings.

Please store the levitation module in a dry safe place without extreme temperature changes.

When the levitation device is stored, place the carrier ring upside down on the base module with cardboard spacer in between. With the reflective spot facing upwards. This will prevent the permanent magnets to damage the rubber covering at the bottom of the carrier ring.

C. REPLACEMENTS

The carrier and adaptor are replaceable. Available at Crealev.

D. ENVIRONMENT

Do not dispose of this device at the end of its lifecycle with the rest of the normal household refuse.

Preferably deposit it at one of the government-indicated collection points so that it can be recycled. In doing so, you will be contributing to a cleaner living environment.



5 WARRANTY AND SERVICE

If you require service or information or if you have a problem, please visit the website www.crealev.com or contact the distributor in your country.

If your country does not have a distributor, please approach your dealer or contact the Crealev service department at crealev@crealev.com

There is a 1-year international warranty on all parts. Shipment costs are for the buyer. Repair and replacement costs within period of warranty are on behalf of Crealev BV. The warranty expires if the device has been altered by others.

Due to liability insurance, Crealev BV does not sell levitation modules to buyers who are based in Northern American countries, unless they sign Crealev's 'Release and Indemnity' form.



Hereby any buyers, resellers or users located in the US or Canada take full responsibility for any irregularities/damage or negative effects that may occur while using the Crealev Levitation Module.

For any other service, questions or information, please contact Crealev: crealev@crealev.com.

6 PRODUCT SPECIFICATIONS

- Rated input voltage adaptor 100 - 240V
- Rated frequency 50Hz
- Rated power consumption non loaded base 4 Watt
- Rated output voltage by adaptor 18V DC
- Class III (only suitable for low voltage 18V DC)
- Classification none
- Water penetration IP x 0
- Conditions for use temp: from +10°C to +35°C
- Relative humidity: from 30% to 90%
- Storing conditions temp: from -20°C to +50°C (no condensation)

You must take measures to prevent electromagnetic interference between this device and other appliances.



7 DECLARATION OF CONFORMITY

We, **Crealev BV**
Klokgebouw 170
5617 AB EINDHOVEN
Netherlands

declare under our sole responsibility that the product as originally delivered,

Name: Levitation module

Type: ALT 37

Function: The ALT 37 is a universal module that is able to levitate objects all kinds of objects. The modules consist of a base above which a magnetic disc floats. This magnetic disc serves as floatation plateau for objects. As well the base as the floatation disc can be integrated in products. The disc will be integrated in the floating part of that product. The base contains electronic elements for stabilization of the levitation system. The disc does not contain any electronics, it contains only passive permanent magnets.

complies with the essential requirements of the following European Directives, and carries the CE marking accordingly:

- Low voltage directive: EN 2006/95/EC
- EMC directive: EN 2004/108/EC
- RoHS directive: EN 2002/95/EC

and conforms with the following harmonized European standards:

- EN 60204-1: 2006 Electrical safety, part 1
- EN 61000-6-1: 2007 EMC, Immunity, part 6-1
- EN 61000-6-3: 2007 EMC, Emission, part 6-3
- EN 14121-1 Risk analysis
- NEN 5509 Design for user manuals

Eindhoven, The Netherlands
Date: 20-3-2011

Ger Jansen
Director Crealev BV
Signature:



8 COMPANY INFORMATION

crealev
we make it float.

Crealev BV

Address
Klokgebouw 170 /177
5617 AB Eindhoven
The Netherlands

Telephone number:
+31 (0)40 8519 040

Website:
www.crealev.com

General support:
crealev@crealev.com

Technical support:
crealev@crealev.com

Chamber of Commerce number :
NL 17198991 Eindhoven, The Netherlands

Tag or mail us your creation;
We would love to see your project!

#crealev

#wemakeitfloat

crealev we make it float.

join us on  get inspired on  watch us on 